

WARMING TRENDS[®]

SUPERIOR FIRE FEATURE SYSTEMS



PATENTED

www.warming-trends.com/patents

WARMING TRENDS®

DON'T SETTLE FOR **LESS.**

The patented CROSSFIRE® Brass Burner is the most fuel-efficient burner in the industry, producing taller, brighter, and more natural flames all while consuming less fuel.



Competitor Burner with 180K BTUs



CFB180 CROSSFIRE® Brass Burner with 180K BTUs

SUPERIOR DESIGN. SUPERIOR PERFORMANCE.
SUPERIOR FIRE FEATURE SYSTEMS.

RELIABLE LEAD TIMES | MADE IN THE U.S.A. | 100% BRASS | LIFETIME WARRANTY


TABLE OF CONTENTS

| | |
|---------------------------------------------------------|----|
| REFERENCE GUIDE | 5 |
| BURNERS | |
| Options for Circular and Square Openings | 6 |
| Options for Rectangular Openings and Outdoor Fireplaces | 12 |
| READY-TO-FINISH KITS | 21 |
| GAS INSERT KITS FOR PAVER FIRE FEATURES | 27 |
| IGNITIONS AND ELECTRONIC ACCESSORIES | 34 |
| PARTS, LOGS, AND MEDIA | 40 |
| WARRANTY | 43 |



SIX STEPS TO FIRE

- 1 Determine the BTU (gas) supply at your fire feature location.
- 2 Measure the interior dimensions of your fire feature and choose the corresponding plate/pan size.
- 3 Select burner based on plate/pan size and fuel type (natural gas or liquid propane.)
- 4 Choose an ignition system: match lit or a fully automatic ignition system.
- 5 Add optional electronic accessories: remote controls, dial timers, and emergency stops.
- 6 Complete your fire feature with media: lava rock or fire glass, steel or ceramic logs.



PLEASE REMEMBER

- Plate/pan should be sized slightly smaller than the measurement of the opening to allow easier installation and removal for service.
- Manufacturer recommends a minimum 3" of clearance from all interior sides of enclosure to the nearest edge of burner to avoid damage to enclosure.
- For outdoor use only. Installation and service must be performed by a qualified installer, service agency, or gas supplier. Installation and use must follow all local codes.
- Follow all installation instructions and local codes. A copy of the Owner's Guide and Instruction Manual can be found on our website: www.Warming-Trends.com

PATENTED

www.warming-trends.com/patents

Scan here for a digital version of
our Instruction Manual



QUICK REFERENCE GUIDE

If you have a standard-sized fire feature, the chart below may help determine which Warming Trends burner will be the best fit for you.

BURNER MATCH FOR COMMON INTERIOR DIMENSIONS

for Circular or Square Fire Features

| INTERIOR DIMENSION | CIRCULAR | SQUARE |
|--------------------|------------|----------|
| 18" | CFB60 | CFB60 |
| | CFB60XL | CFB60XL |
| | CFB84 | CFB84 |
| | CFBCTL120 | CFBST120 |
| | CFBO140 | CFBO140 |
| 24" | CFB120 | CFB120 |
| | CFBCTXL120 | CFBO180 |
| | CFBO180 | |
| 30" | CFB180 | CFB180 |
| | CFB240 | CFB240 |
| | CFBCT240 | CFBST240 |
| | CFBO280 | CFBO280 |
| 36" | CFB240 | CFB240 |
| | CFB290 | CFB290 |
| | CFBO280 | CFBO280 |
| | CFBO320 | CFBO320 |
| | | CFBST400 |
| 42" | CFB350 | CFB350 |
| | CFBCT440 | CFBST500 |
| | CFBO360 | CFBO360 |
| 48" | CFB350 | CFB350 |
| | CFBO360 | CFBO360 |

TECH TIP

Paver Kits are becoming more popular and Warming Trends offers kits – including burner, plate, flex line, and key valve kits - specifically designed to work with a variety of paver company block features. See page 27 for our Gas Insert Kit selections.

Plate should be sized slightly smaller than the measurement of the opening. This allows easier installation and removal for service.

Scan here for a digital version of our latest catalog



OPTIONS FOR CIRCULAR AND SQUARE OPENINGS

Designed for standard-sized circular or square fire features, these CROSSFIRE® Brass Burners range from 60K to 450K BTUs.

When deciding which burner is best for your project, remember to consult the guide on page 5 for information about size compatibility.

Need a different size, custom shape, or have BTU questions?
Whatever your question, our team is happy to help.
Call our Flame Specialists at (303) 346-2224.

COMPLETE THE FEATURE WITH MEDIA, PAGE 40

SEE PAGE 34 FOR AVAILABLE COMPATIBLE IGNITION SYSTEMS

Original




Octagonal



SKU BREAKDOWN


| | | | |
|----------------------------|-------------|------------------|--------------------------|
| Octagonal (Burner Type) | Gas Type | Size of Plate | Flex Line Kit |
| C F B O | 3 6 0 | N G A L P L | 4 2 C F K 2 |
| CROSSFIRE® Brass Burner | BTU | Plate or Pan | Shape of Plate or Pan |

ORIGINAL CFB60 – Fits 18" plate or larger




| SKU (NG OR LP) | | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|----------------------------------------|-------------------------------|-------------|--------------|
| CFB60NG CFB60LP | | 60K BTU Original Brass Burner | 4 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL18C (circle) or ALPL18S (square) • FK1 • Optional 3x Support Collars | | | | |
| CIRCLE | CFB60NGALPL18C CFB60LPALPL18C | with 18" Circular Plate | 10 lbs | SHIPS PARCEL |
| CIRCLE | CFB60NGALPL18CFK1 CFB60LPALPL18CFK1 | with 18" Circular Plate + FK1 | 13 lbs | SHIPS PARCEL |
| SQUARE | CFB60NGALPL18S CFB60LPALPL18S | with 18" Square Plate | 11 lbs | SHIPS PARCEL |
| SQUARE | CFB60NGALPL18SFK1 CFB60LPALPL18SFK1 | with 18" Square Plate + FK1 | 14 lbs | SHIPS PARCEL |

ORIGINAL CFB60XL – Fits 18" plate or larger




| SKU (NG OR LP) | | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------------------|-------------|--------------|
| CFB60XLNG CFB60XLLP | | 60K BTU Original Brass Burner + WATERSTOP | 4 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL18C (circle) or ALPL18S (square) • FK1 • Optional 3x Support Collars | | | | |
| CIRCLE | CFB60XLNGALPL18C CFB60XLLPALPL18C | with 18" Circular Plate | 10 lbs | SHIPS PARCEL |
| CIRCLE | CFB60XLNGALPL18CFK1 CFB60XLLPALPL18CFK1 | with 18" Circular Plate + FK1 | 13 lbs | SHIPS PARCEL |
| SQUARE | CFB60XLNGALPL18S CFB60XLLPALPL18S | with 18" Square Plate | 11 lbs | SHIPS PARCEL |
| SQUARE | CFB60XLNGALPL18SFK1 CFB60XLLPALPL18SFK1 | with 18" Square Plate + FK1 | 14 lbs | SHIPS PARCEL |

ORIGINAL CFB120 – Fits 24" plate or larger




| SKU (NG OR LP) | | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|------------------------------------------|--------------------------------------------|-------------|--------------|
| CFB120NG CFB120LP | | 120K BTU Original Brass Burner + WATERSTOP | 8 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL24C (circle) or ALPL24S (square) • FK1 • Optional 4x Support Collars | | | | |
| CIRCLE | CFB120NGALPL24C CFB120LPALPL24C | with 24" Circular Plate | 16 lbs | SHIPS PARCEL |
| CIRCLE | CFB120NGALPL24CFK1 CFB120LPALPL24CFK1 | with 24" Circular Plate + FK1 | 19 lbs | SHIPS PARCEL |
| SQUARE | CFB120NGALPL24S CFB120LPALPL24S | with 24" Square Plate | 18 lbs | SHIPS PARCEL |
| SQUARE | CFB120NGALPL24SFK1 CFB120LPALPL24SFK1 | with 24" Square Plate + FK1 | 21 lbs | SHIPS PARCEL |

ORIGINAL CFB180 – Fits 30" plate or larger




| SKU (NG OR LP) | | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|------------------------------------------|--------------------------------------------|-------------|--------------|
| CFB180NG CFB180LP | | 180K BTU Original Brass Burner + WATERSTOP | 9 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL30C (circle) or ALPL30S (square) • FK1 • Optional 5x Support Collars | | | | |
| CIRCLE | CFB180NGALPL30C CFB180LPALPL30C | with 30" Circular Plate | 20 lbs | SHIPS PARCEL |
| CIRCLE | CFB180NGALPL30CFK1 CFB180LPALPL30CFK1 | with 30" Circular Plate + FK1 | 23 lbs | SHIPS PARCEL |
| SQUARE | CFB180NGALPL30S CFB180LPALPL30S | with 30" Square Plate | 23 lbs | SHIPS PARCEL |
| SQUARE | CFB180NGALPL30SFK1 CFB180LPALPL30SFK1 | with 30" Square Plate + FK1 | 26 lbs | SHIPS PARCEL |

ORIGINAL CFB240 – Fits 30" plate or larger




| SKU (NG OR LP) | DESCRIPTION | | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|-----------------------------------------------|-------------------------------|-------------|--------------|
| CFB240NG CFB240LP | 240K BTU Original Brass Burner + WATERSTOP | | 12 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL30C (circle) or ALPL30S (square) • FK1 • Optional 5x Support Collars | | | | |
| CIRCLE | CFB240NGALPL30C CFB240LPALPL30C | with 30" Circular Plate | 28 lbs | SHIPS PARCEL |
| CIRCLE | CFB240NGALPL30CFK1 CFB240LPALPL30CFK1 | with 30" Circular Plate + FK1 | 31 lbs | SHIPS PARCEL |
| SQUARE | CFB240NGALPL30S CFB240LPALPL30S | with 30" Square Plate | 26 lbs | SHIPS PARCEL |
| SQUARE | CFB240NGALPL30SFK1 CFB240LPALPL30SFK1 | with 30" Square Plate + FK1 | 29 lbs | SHIPS PARCEL |

ORIGINAL CFB290 – Fits 36" plate or larger




| SKU (NG OR LP) | DESCRIPTION | | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------------|-------------|--------------|
| CFB290NG CFB290LP | 290K BTU Original Brass Burner + WATERSTOP | | 12 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL36C (circle) or ALPL36S (square) • FK2 • Optional 6x Support Collars | | | | |
| CIRCLE | CFB290NGALPL36C CFB290LPALPL36C | with 36" Circular Plate | 28 lbs | SHIPS PARCEL |
| CIRCLE | CFB290NGALPL36CFK2 CFB290LPALPL36CFK2 | with 36" Circular Plate + FK2 | 35 lbs | SHIPS PARCEL |
| SQUARE | CFB290NGALPL36S CFB290LPALPL36S | with 36" Square Plate | 31 lbs | SHIPS PARCEL |
| SQUARE | CFB290NGALPL36SFK2 CFB290LPALPL36SFK2 | with 36" Square Plate + FK2 | 38 lbs | SHIPS PARCEL |

OCTAGONAL CFBO140 – Fits 18" plate or larger




| SKU (NG OR LP) | | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------|-------------|--------------|
| CFBO140NG CFBO140LP | | 140K BTU Octagonal Brass Burner + WATERSTOP | 9 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL18C (circle) or ALPL18S (square) • FK1 • Optional 3x Support Collars | | | | |
| CIRCLE | CFBO140NGALPL18C CFBO140LPALPL18C | with 18" Circular Plate | 15 lbs | SHIPS PARCEL |
| CIRCLE | CFBO140NGALPL18CFK1 CFBO140LPALPL18CFK1 | with 18" Circular Plate + FK1 | 18 lbs | SHIPS PARCEL |
| SQUARE | CFBO140NGALPL18S CFBO140LPALPL18S | with 18" Square Plate | 16 lbs | SHIPS PARCEL |
| SQUARE | CFBO140NGALPL18SFK1 CFBO140LPALPL18SFK1 | with 18" Square Plate + FK1 | 19 lbs | SHIPS PARCEL |

OCTAGONAL CFBO180 – Fits 24" plate or larger




| SKU (NG OR LP) | | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------|-------------|--------------|
| CFBO180NG CFBO180LP | | 180K BTU Octagonal Brass Burner + WATERSTOP | 10 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL24C (circle) or ALPL24S (square) • FK1 • Optional 4x Support Collars | | | | |
| CIRCLE | CFBO180NGALPL24C CFBO180LPALPL24C | with 24" Circular Plate | 16 lbs | SHIPS PARCEL |
| CIRCLE | CFBO180NGALPL24CFK1 CFBO180LPALPL24CFK1 | with 24" Circular Plate + FK1 | 19 lbs | SHIPS PARCEL |
| SQUARE | CFBO180NGALPL24S CFBO180LPALPL24S | with 24" Square Plate | 20 lbs | SHIPS PARCEL |
| SQUARE | CFBO180NGALPL24SFK1 CFBO180LPALPL24SFK1 | with 24" Square Plate + FK1 | 23 lbs | SHIPS PARCEL |

OCTAGONAL CFBO280 – Fits 30" plate or larger



| SKU (NG OR LP) | | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------|-------------|--------------|
| CFBO280NG CFBO280LP | | 280K BTU Octagonal Brass Burner + WATERSTOP | 13 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL30C (circle) or ALPL30S (square) • FK2 • Optional 5x Support Collars | | | | |
| CIRCLE | CFBO280NGALPL30C CFBO280LPALPL30C | with 30" Circular Plate | 24 lbs | SHIPS PARCEL |
| CIRCLE | CFBO280NGALPL30CFK2 CFBO280LPALPL30CFK2 | with 30" Circular Plate + FK2 | 31 lbs | SHIPS PARCEL |
| SQUARE | CFBO280NGALPL30S CFBO280LPALPL30S | with 30" Square Plate | 27 lbs | SHIPS PARCEL |
| SQUARE | CFBO280NGALPL30SFK2 CFBO280LPALPL30SFK2 | with 30" Square Plate + FK2 | 34 lbs | SHIPS PARCEL |

OCTAGONAL CFBO320 – Fits 36" plate or larger



| SKU (NG OR LP) | | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-----------------------------------------------------------------------------------------------------|--------------------------------------------|---------------------------------------------|-------------|--------------|
| CFBO320NG CFBO320LP | | 320K BTU Octagonal Brass Burner + WATERSTOP | 13 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL36C (circle) or ALPL36S (square) • FK2 • Optional 4x Support Collars | | | | |
| CIRCLE | CFBO320NGALPL36C CFBO320LPALPL36C | with 36" Circular Plate | 29 lbs | SHIPS PARCEL |
| CIRCLE | CFBO320NGALPL36CFK2 CFBO320LPALPL36CFK2 | with 36" Circular Plate + FK2 | 36 lbs | SHIPS PARCEL |
| SQUARE | CFBO320NGALPL36S CFBO320LPALPL36S | with 36" Square Plate | 32 lbs | SHIPS PARCEL |
| SQUARE | CFBO320NGALPL36SFK2 CFBO320LPALPL36SFK2 | with 36" Square Plate + FK2 | 39 lbs | SHIPS PARCEL |

OPTIONS FOR RECTANGULAR OPENINGS AND OUTDOOR FIREPLACES

Designed for standard-sized rectangular fire features, these CROSSFIRE® Brass Burners range from 90K to 480K BTUs.


When deciding which burner is best for your project, remember to consult the guide on page 5 for information about size compatibility.

Need a different size, custom shape, or have BTU questions?
Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.

COMPLETE THE FEATURE WITH MEDIA, PAGE 40

SEE PAGE 34 FOR AVAILABLE COMPATIBLE IGNITION SYSTEMS


Linear



H-Style




Tree-Style



SKU BREAKDOWN


| | | | |
|----------------------------|-------------|------------------|--------------------------|
| Octagonal (Burner Type) | Gas Type | Size of Plate | Flex Line Kit |
| CFBO | 360 | NG | ALPL |
| CROSSFIRE® Brass Burner | BTU | Plate or Pan | Shape of Plate or Pan |
| | | 42 | CFK2 |

LINEAR CFBL90 – For 20" x 6" opening or larger





| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|------------------------------------------------------------------------|---------------------------------|-------------|--------------|
| CFBL90NG CFBL90LP | 90K BTU Linear Brass Burner | 4 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL206 • FK1 • Optional 3x Support Collars | | | |
| CFBL90NGALPL206 CFBL90LPALPL206 | with 20" x 6" Rectangular Plate | 6 lbs | SHIPS PARCEL |
| CFBL90NGALPL206FK1 CFBL90LPALPL206FK1 | with 20" x 6" Plate + FK1 | 9 lbs | SHIPS PARCEL |

LINEAR CFBL110 – For 26" x 6" opening or larger





| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|------------------------------------------------------------------------|---------------------------------|-------------|--------------|
| CFBL110NG CFBL110LP | 110K BTU Linear Brass Burner | 5 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL266 • FK1 • Optional 3x Support Collars | | | |
| CFBL110NGALPL266 CFBL110LPALPL266 | with 26" x 6" Rectangular Plate | 8 lbs | SHIPS PARCEL |
| CFBL110NGALPL266FK1 CFBL110LPALPL266FK1 | with 26" x 6" Plate + FK1 | 11 lbs | SHIPS PARCEL |

LINEAR CFBL130 – For 32" x 8" opening or larger





| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|------------------------------------------------------------------------|---------------------------------|-------------|--------------|
| CFBL130NG CFBL130LP | 130K BTU Linear Brass Burner | 5 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL328 • FK1 • Optional 4x Support Collars | | | |
| CFBL130NGALPL328 CFBL130LPALPL328 | with 32" x 8" Rectangular Plate | 9 lbs | SHIPS PARCEL |
| CFBL130NGALPL328FK1 CFBL130LPALPL328FK1 | with 32" x 8" Plate + FK1 | 12 lbs | SHIPS PARCEL |

LINEAR CFBL150 – For 38" x 8" opening or larger



| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|------------------------------------------------------------------------|---------------------------------|-------------|--------------|
| CFBL150NG CFBL150LP | 150K BTU Linear Brass Burner | 5 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL388 • FK1 • Optional 4x Support Collars | | | |
| CFBL150NGALPL388 CFBL150LPALPL388 | with 38" x 8" Rectangular Plate | 9 lbs | SHIPS PARCEL |
| CFBL150NGALPL388FK1 CFBL150LPALPL388FK1 | with 38" x 8" Plate + FK1 | 12 lbs | SHIPS PARCEL |

LINEAR CFBL170 – For 40" x 8" opening or larger




| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|------------------------------------------------------------------------|---------------------------------|-------------|--------------|
| CFBL170NG CFBL170LP | 170K BTU Linear Brass Burner | 5 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL408 • FK1 • Optional 5x Support Collars | | | |
| CFBL170NGALPL408 CFBL170LPALPL408 | with 40" x 8" Rectangular Plate | 10 lbs | SHIPS PARCEL |
| CFBL170NGALPL408FK1 CFBL170LPALPL408FK1 | with 40" x 8" Plate + FK1 | 13 lbs | SHIPS PARCEL |



FIRE. PERFECTED.


We deliver the tallest, brightest, and most natural looking flame for your project.

H-STYLE CFBH120 – For 28" x 15" opening or larger




| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-------------------------------------------------------------------------|-------------------------------------------|-------------|--------------|
| CFBH120NG CFBH120LP | 120K BTU H-Style Brass Burner + WATERSTOP | 7 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL2815 • FK1 • Optional 4x Support Collars | | | |
| CFBH120NGALPL2815 CFBH120LPALPL2815 | with 28" x 15" Rectangular Plate | 13 lbs | SHIPS PARCEL |
| CFBH120NGALPL2815FK1 CFBH120LPALPL2815FK1 | with 28" x 15" Plate + FK1 | 16 lbs | SHIPS PARCEL |

H-STYLE CFBH160 – For 34" x 17" opening or larger




| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-------------------------------------------------------------------------|-------------------------------------------|-------------|--------------|
| CFBH160NG CFBH160LP | 160K BTU H-Style Brass Burner + WATERSTOP | 8 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL3417 • FK1 • Optional 5x Support Collars | | | |
| CFBH160NGALPL3417 CFBH160LPALPL3417 | with 34" x 17" Rectangular Plate | 16 lbs | SHIPS PARCEL |
| CFBH160NGALPL3417FK1 CFBH160LPALPL3417FK1 | with 34" x 17" Plate + FK1 | 19 lbs | SHIPS PARCEL |

H-STYLE CFBH200 – For 40" x 17" opening or larger




| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-------------------------------------------------------------------------|-------------------------------------------|-------------|--------------|
| CFBH200NG CFBH200LP | 200K BTU H-Style Brass Burner + WATERSTOP | 9 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL4017 • FK1 • Optional 6x Support Collars | | | |
| CFBH200NGALPL4017 CFBH200LPALPL4017 | with 40" x 17" Rectangular Plate | 18 lbs | SHIPS PARCEL |
| CFBH200NGALPL4017FK1 CFBH200LPALPL4017FK1 | with 40" x 17" Plate + FK1 | 21 lbs | SHIPS PARCEL |

H-STYLE CFBH240 – For 46" x 17" opening or larger




| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-------------------------------------------------------------------------|-------------------------------------------|-------------|--------------|
| CFBH240NG CFBH240LP | 240K BTU H-Style Brass Burner + WATERSTOP | 10 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL4617 • FK1 • Optional 7x Support Collars | | | |
| CFBH240NGALPL4617 CFBH240LPALPL4617 | with 46" x 17" Rectangular Plate | 26 lbs | SHIPS PARCEL |
| CFBH240NGALPL4617FK1 CFBH240LPALPL4617FK1 | with 46" x 17" Plate + FK1 | 29 lbs | SHIPS PARCEL |

TREE-STYLE CFBT110 – For 20" x 11" opening or larger




| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-------------------------------------------------------------------------|----------------------------------|-------------|--------------|
| CFBT110NG CFBT110LP | 110K BTU Tree-Style Brass Burner | 6 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL2011 • FK1 • Optional 3x Support Collars | | | |
| CFBT110NGALPL2011 CFBT110LPALPL2011 | with 20" x 11" Rectangular Plate | 9 lbs | SHIPS PARCEL |
| CFBT110NGALPL2011FK1 CFBT110LPALPL2011FK1 | with 20" x 11" Plate + FK1 | 12 lbs | SHIPS PARCEL |

TREE-STYLE CFBT170 – For 28" x 11" opening or larger




| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-------------------------------------------------------------------------|----------------------------------|-------------|--------------|
| CFBT170NG CFBT170LP | 170K BTU Tree-Style Brass Burner | 8 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL2811 • FK1 • Optional 4x Support Collars | | | |
| CFBT170NGALPL2811 CFBT170LPALPL2811 | with 28" x 11" Rectangular Plate | 13 lbs | SHIPS PARCEL |
| CFBT170NGALPL2811FK1 CFBT170LPALPL2811FK1 | with 28" x 11" Plate + FK1 | 16 lbs | SHIPS PARCEL |

TREE-STYLE CFBT230 – For 36" x 11" opening or larger



| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-------------------------------------------------------------------------|----------------------------------|-------------|--------------|
| CFBT230NG CFBT230LP | 230K BTU Tree-Style Brass Burner | 10 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL3611 • FK1 • Optional 5x Support Collars | | | |
| CFBT230NGALPL3611 CFBT230LPALPL3611 | with 36" x 11" Rectangular Plate | 16 lbs | SHIPS PARCEL |
| CFBT230NGALPL3611FK1 CFBT230LPALPL3611FK1 | with 36" x 11" Plate + FK1 | 19 lbs | SHIPS PARCEL |

TREE-STYLE CFBT290 – For 44" x 14" opening or larger



| SKU (NG OR LP) | DESCRIPTION | SHIP WEIGHT | SHIP METHOD |
|-------------------------------------------------------------------------|----------------------------------|-------------|--------------|
| CFBT290NG CFBT290LP | 290K BTU Tree-Style Brass Burner | 12 lbs | SHIPS PARCEL |
| Recommended parts - Plate: ALPL4414 • FK2 • Optional 5x Support Collars | | | |
| CFBT290NGALPL4414 CFBT290LPALPL4414 | with 44" x 14" Rectangular Plate | 25 lbs | SHIPS PARCEL |
| CFBT290NGALPL4414FK2 CFBT290LPALPL4414FK2 | with 44" x 14" Plate + FK2 | 32 lbs | SHIPS PARCEL |

WE DIDN'T INVENT FIRE,
WE **PERFECTED** IT.





READY-TO-FINISH KITS

Aluminum frames covered with concrete board are ready to be easily and quickly finished with your choice of stone or veneer.

Simply place on site, connect to the gas supply, add stone or other veneer, and your fire feature is complete.

Need a different size, custom shape, or have other questions?

Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.


SQUARE READY-TO-FINISH KITS

TECH TIP


Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK), but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.




FS3636 shown




| FS3636NG FS3636LP | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 36" x 36" W x 18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner + WATERSTOP 24" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK1 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury, Platinum, 24 Volt Spark | SHIPS FREIGHT |



| FS4848NG FS4848LP | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 48" x 48" W x 18" H Aluminum Frame with Concrete Board Attached CFB180 Original Brass Burner + WATERSTOP 30" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK1 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | SHIPS FREIGHT |



| FS5454NG FS5454LP | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 54" x 54" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner + WATERSTOP 36" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK2 4" Key Valve Extension Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | SHIPS FREIGHT |



| FS6060NG FS6060LP | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 60" x 60" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner 42" Aluminum Pan with 2" Sidewalls Fire Pit Vent Kit FK2 4" Key Valve Extension Ignition Systems Sold Separately: Mercury, Platinum, 24 Volt Spark | SHIPS FREIGHT |


RECTANGULAR LINEAR READY-TO-FINISH KITS

TECH TIP

Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.




FR6036 shown



FR4830NG | FR4830LP

48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached
CFBL110 22" Linear Brass Burner
28" x 10" Aluminum Pan with 2" Sidewalls
Fire Feature Vent Kit
FK1
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury, Platinum, 24 Volt Spark


SHIPS FREIGHT



FR6036NG | FR6036LP

60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached
CFBL150 30" Linear Brass Burner
38" x 14" Aluminum Pan with 2" Sidewalls
Fire Feature Vent Kit
FK1
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark

SHIPS FREIGHT



FR7242NG | FR7242LP

72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached
CFBL210 42" Linear Brass Burner
48" x 18" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
FK1
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark

SHIPS FREIGHT

FIRESTORM® STEEL LOG

Handcrafted, one-of-a-kind steel gas log features an integrated linear burner and is sized perfectly for the FR6036 Rectangular Ready-to-Finish Kit.

Custom designs and sizes available.

See page 41 for more information or call us at (303) 346-2224.




RECTANGULAR TREE-STYLE READY-TO-FINISH KITS

TECH TIP

Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.




FRT6036 shown



FRT4830NG | FRT4830LP

48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached
CFBT170 Tree-Style Brass Burner
28" x 10" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
FK1
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark


SHIPS FREIGHT



FRT6036NG | FRT6036LP

60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached
CFBT230 Tree-Style Brass Burner
38" x 14" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
FK1
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark

SHIPS FREIGHT



FRT7242NG | FRT7242LP

72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached
CFBT290 Tree-Style Brass Burner
48" x 18" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
FK2
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark

SHIPS FREIGHT



CUSTOM READY-TO-FINISH KITS


A Custom Fire Feature to Match Your Custom Design.

Let us create the perfect custom feature for you.
We'd love to help. (303) 346-2224


CIRCULAR READY-TO-FINISH KITS

TECH TIP

Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on veneer. Vents are to be installed by contractor on site.




FC42 shown



FC42NG | FC42LP

42" W x 18" H Aluminum Frame with Concrete Board Attached
CFB120 Original Brass Burner + WATERSTOP
24" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
FK1
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury, Platinum, 24 Volt Spark


SHIPS FREIGHT



FC54NG | FC54LP

54" W x 18" H Aluminum Frame with Concrete Board Attached
CFB180 Original Brass Burner + WATERSTOP
30" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
FK1
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark


SHIPS FREIGHT



FC60NG | FC60LP

60" W x 18" H Aluminum Frame with Concrete Board Attached
CFB290 Original Brass Burner + WATERSTOP
36" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
FK2
4" Key Valve Extension
Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark

SHIPS FREIGHT



FC72NG | FC72LP

72" W x 18" H Aluminum Frame with Concrete Board Attached
CFB350 Original Brass Burner
48" Aluminum Pan with 2" Sidewalls
Fire Pit Vent Kit
FK2
4" Key Valve Extension
Ignition Systems Sold Separately: Mercury, Platinum, 24 Volt Spark

SHIPS FREIGHT

CREATE YOUR **PERFECT NIGHT**





GAS INSERT KITS FOR PAVER FIRE FEATURES

Warming Trends makes it easy to install or convert a paver fire pit to gas with our Gas Insert Kits. Each Kit includes the CROSSFIRE® Brass Burner which utilizes cutting-edge jet technology to produce a taller, brighter, and more natural flame - all while consuming less gas.

Warming Trends Universal and Specialized Gas Insert Kits are designed to work with a variety of paver company block kits, including everything you need to convert your paver fire pit.

Need a different size, custom shape, or have BTU questions?

Whatever your question, our team is happy to help. Call our Flame Specialists at (303) 346-2224.

GAS INSERT KITS

Easily and quickly convert your paver fire feature to gas with a Warming Trends Gas Insert Kit.

Included in each kit:

- CROSSFIRE® Brass Burner with WATERSTOP™ Fitting
- Aluminum Plate
- Flex Line Kit
- Key Valve Kit
- Flexible Metal Support Collars and Tapcon screws (Works with new or existing fire pit)

Select the Warming Trends Gas Insert Kit that matches the interior dimensions of your fire feature.

The Revolutionary WATERSTOP® fitting protects electronics and valves from water and debris.

CROSSFIRE® Brass Burner

Aluminum Plate

Whistle-free Flex Line Kit


Flexible Metal Support Collar

KIT DOES NOT INCLUDE VENTS. (18 sq inches of ventilation is required on opposing sides of the fire feature.)


KIT DOES NOT INCLUDE STONE/ENCLOSURE, MEDIA, OR COVER.

Collars provide support for the aluminum plate and allow a range of plate sizes to be used, adding up to 3" to the plate size.

FIRE PIT VENT KIT



| | | | |
|------|-------------------------------------------------------------------------------|-------|--------------|
| FPVK | Fire Pit Vent Kit: (2) 3 7/8"x 12" Vents + 18 sq inches of Vent Area per Unit | 2 lbs | SHIPS PARCEL |
|------|-------------------------------------------------------------------------------|-------|--------------|




32" x 17 1/2" to 35" x 20 1/2" RECTANGULAR OPENING

UPK160H3217NG | UPK160H3217LP

CFBH160 H-Style Brass Burner + WATERSTOP
32" x 17 1/2" Rectangular Aluminum Plate
FK1
8" Key Valve Extension
(5) Collars
Ignition Systems Sold Separately: Push Button, Mercury,
Platinum, 24 Volt Spark

18 lbs
SHIPS PARCEL




23" - 26" CIRCULAR OPENING

UPK120C23NG | UPK120C23LP

CFB120 Original Brass Burner + WATERSTOP
23" Circular Aluminum Plate
FK1
8" Key Valve Extension
(4) Collars
Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury,
Platinum, 24 Volt Spark

28 lbs
SHIPS PARCEL




23" - 26" SQUARE OPENING

UPK120S23NG | UPK120S23LP

CFB120 Original Brass Burner + WATERSTOP
23" Square Aluminum Plate
FK1
8" Key Valve Extension
(4) Collars
Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury,
Platinum, 24 Volt Spark

30 lbs
SHIPS PARCEL




26" - 29" CIRCULAR OR SQUARE OPENING

UPK120S26NG | UPK120S26LP

CFB120 Original Brass Burner + WATERSTOP
26" Square Aluminum Plate
FK1
8" Key Valve Extension
(4) Collars
Ignition Systems Sold Separately: Push Button, 3 Volt, Mercury,
Platinum, 24 Volt Spark

32 lbs
SHIPS PARCEL




29" - 32" CIRCULAR OPENING

UPK180C29NG | UPK180C29LP

CFB180 Original Brass Burner + WATERSTOP
29" Circular Aluminum Plate
FK1
8" Key Valve Extension
(5) Collars
Ignition Systems Sold Separately: Push Button, Mercury,
Platinum, 24 Volt Spark

33 lbs
SHIPS PARCEL




29"-32" SQUARE OPENING

UPK180S29NG | UPK180S29LP

CFB180 Original Brass Burner + WATERSTOP
 29" Square Aluminum Plate
 FK1
 8" Key Valve Extension
 (5) Collars
 Ignition Systems Sold Separately: Push Button, Mercury,
 Platinum, 24 Volt Spark

34 lbs
 SHIPS PARCEL




35"-38" CIRCULAR OPENING

UPK240C35NG | UPK240C35LP

CFB240 Original Brass Burner + WATERSTOP
 35" Circular Aluminum Plate
 FK1
 8" Key Valve Extension
 (6) Collars
 Ignition Systems Sold Separately: Push Button, Mercury,
 Platinum, 24 Volt Spark

41 lbs
 SHIPS PARCEL




35"-38" SQUARE OPENING

UPK240S35NG | UPK240S35LP

CFB240 Original Brass Burner + WATERSTOP
 35" Square Aluminum Plate
 FK1
 Key Valve Extension
 (6) Collars
 Ignition Systems Sold Separately: Push Button, Mercury,
 Platinum, 24 Volt Spark

47 lbs
 SHIPS PARCEL




39"-42" CIRCULAR OPENING

UPK240C39NG | UPK240C39LP

CFB240 Original Brass Burner + WATERSTOP
 39" Circular Aluminum Plate
 FK1
 8" Key Valve Extension
 (7) Collars
 Ignition Systems Sold Separately: Push Button, Mercury,
 Platinum, 24 Volt Spark

SHIPS FREIGHT



39"-42" SQUARE OPENING

UPK240S39NG | UPK240S39LP

CFB240 Original Brass Burner + WATERSTOP
 39" Square Aluminum Plate
 FK1
 8" Key Valve Extension
 (7) Collars
 Ignition Systems Sold Separately: Push Button, Mercury,
 Platinum, 24 Volt Spark

SHIPS FREIGHT

GAS INSERT KITS FOR SPECIALIZED PAVER FIRE PITS

NEW PRODUCT!

See page 34 for available ignition options.




The All-New Specialized Gas Insert Kits fit top-selling paver fire pit brands and are easier to install than ever before! The Mounting Brackets and Collars have been re-engineered to eliminate the need for a drill to install. Each kit includes all components needed to create an exceptional fire feature including the patented CROSSFIRE™ burner, aluminum plate, no-drill collars, specifically-sized vents, mounting bracket which replaces a block while still offering support to the blocks above, and a Flex Line/Key Valve Kit.

Included in each kit:

- CROSSFIRE® Brass Burner with WATERSTOP™ Fitting
- Aluminum Plate
- Flex Line / Key Valve Kit
- Flexible, No-Drill Collars - NEW
- Vents (2) - NEW
- Mounting Bracket - NEW


The patent-pending WATERSTOP™ fitting provides unmatched protection for electronics and valves from water and debris.



CROSSFIRE® Brass Burner




Flexible, No-Drill Collar
(Install between courses of block)



Aluminum Plate



Key Valve / Mounting Bracket
(Replaces one block and provides support for next course of block)



Whistle Free Flexline



Vent(s)
(Vents replace one block and provide support for the next course of block)

WESTON PAVER KIT

| | | | |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------------|
| UPKBWLP | CFB240LP Original Brass Burner + WATERSTOP™, 39" Circular Aluminum Plate, ¾" Flex Line / Key Valve Kit, 11 ⅜"x 4" BW Mounting Bracket, (6) Flexible, No Drill Collars, (2) 11 ⅜" x 4" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 110 lbs | SHIPS FREIGHT |
| UPKBWNG | CFB240NG Original Brass Burner + WATERSTOP, 39" Circular Aluminum Plate, ¾" Flex Line / Key Valve Kit,, 11 ⅜"x 4" BW Mounting Bracket, (6) Flexible, No Drill Collars, (2) 11 ⅜" x 4" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 110 lbs | SHIPS FREIGHT |

VALENCIA PAVER KIT

| | | | |
|---------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
| UPKVLLP | CFB180LP Original Brass Burner + WATERSTOP, 29" Circular Aluminum Plate, ¾" Flex Line / Key Valve Kit, VL Mounting Bracket, (5) Flexible, No Drill Collars, (2) 9 ¼" x 3" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 38 lbs | SHIPS PARCEL |
| UPKVLNG | CFB180NG Original Brass Burner + WATERSTOP, 29" Circular Aluminum Plate, ¾" Flex Line Kit, VL Mounting Bracket, (5) Flexible, No Drill Collars, (2) 9 ¼" x 3" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 38 lbs | SHIPS PARCEL |

BRANDON PAVER KIT

| | | | |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
| UPKBSLP | CFB180LP Original Brass Burner + WATERSTOP, 27 ¼" Square Aluminum Plate, ¾" Flex Line / Key Valve Kit, 14" x 3 ½" Mounting Bracket, (6) Flexible, No Drill Collars, (2) 14" x 3 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 30 lbs | SHIPS PARCEL |
| UPKBSNG | CFB180NG Original Brass Burner + WATERSTOP, 27 ¼" Square Aluminum Plate, ¾" Flex Line / Key Valve Kit, 14" x 3 ½" Mounting Bracket, (6) Flexible, No Drill Collars, (2) 14" x 3 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 30 lbs | SHIPS PARCEL |

RAFFINATO PAVER KIT

| | | | |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
| UPKRRLP | CFBH160LP H-Style Brass Burner + WATERSTOP, 32" x 17 ¾" Rectangular Aluminum Plate, ¾" Flex Line / Key Valve Kit, 14" x 3 ½" Mounting Bracket, (5) Flexible, No Drill Collars, (2) 14" x 3 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 30 lbs | SHIPS PARCEL |
| UPKR RNG | CFBH160NG H-Style Brass Burner + WATERSTOP, 32" x 17 ¾" Rectangular Aluminum Plate, ¾" Flex Line / Key Valve Kit, 14" x 3 ½" Mounting Bracket, (5) Flexible, No Drill Collars, (2) 14" x 3 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 30 lbs | SHIPS PARCEL |

PRESCOTT PAVER KIT

| | | | |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|--------------|
| UPKPSLP | CFB180LP Original Brass Burner + WATERSTOP, 27 ¼" Square Aluminum Plate, ¾" Flex Line / Key Valve Kit, 9" x 4 ½" Mounting Bracket, (6) Flexible, No Drill Collars, (2) 9" x 4 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 38 lbs | SHIPS PARCEL |
| UPKPSNG | CFB180LP Original Brass Burner + WATERSTOP, 27 ¼" Square Aluminum Plate, ¾" Flex Line / Key Valve Kit, 9" x 4 ½" Mounting Bracket, (6) Flexible, No Drill Collars, (2) 9" x 4 ½" Vents Ignition Systems Sold Separately: Push Button, Mercury, Platinum, 24 Volt Spark | 38 lbs | SHIPS PARCEL |



IF YOU CAN **DREAM IT,**
WE CAN **MAKE IT.**

The sky's the limit - let us create your custom fire feature.



IGNITIONS AND ELECTRONIC ACCESSORIES

Light your fire feature with the simplicity of a match or choose a fully automatic ignition system.

Call a Warming Trends Flame Specialist
to discuss the best ignition system for your CROSSFIRE® Brass Burner.

IGNITION SYSTEMS



All CROSSFIRE® Brass Burners come standard as a manual Match Lit System. Light a match and turn the key valve to ignite your fire feature burner.



Upgrade to an electric Push Button Ignition. Turn the key valve to on position and push the button to ignite your burner.

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|---------------|-------------------------------------------------------------------------------------------------------|----------------------|--------------|
| PBIK3.0 | Push Button Ignition Kit: Spark Igniter Rod and Wire + Push Button Battery Operated Control Module | 3 lbs | SHIPS PARCEL |
| PBIK3.0MBR | Push Button Ignition Kit + Mounting Bracket + (2) ¾" Street Elbows | 5 lbs | SHIPS PARCEL |
| PBIK3.0MBRFK1 | Push Button Ignition Kit + Mounting Bracket + FK1 + 3" and 12" Key + (2) Pre-mounted ¾" Street Elbows | 9 lbs | SHIPS PARCEL |
| PBIK3.0MBRFK2 | Push Button Ignition Kit + Mounting Bracket + FK2 + 3" and 12" Key + (2) Pre-mounted ¾" Street Elbows | 11 lbs | SHIPS PARCEL |



PBIK3.0MBR



The Mercury Ignition provides a layer of safety in the event a burner's flame is unexpectedly extinguished. This innovative new design provides a quick, automatic shutoff of gas flow and an easy reset to reignite the flame when ready to address building and safety code requirements, as well as personal safety preferences.

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|--------|-------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------|
| MERCLP | Mercury Ignition Spark Ignitor with Internal Safety Shutoff + 3 ft Pilot for use with any Burner up to 240k BTU + FIT180 + Liquid Propane | 7lb | SHIPS PARCEL |
| MERCNG | Mercury Ignition Spark Ignitor with Internal Safety Shutoff + 3 ft Pilot for use with any Burner up to 240k BTU + FIT180 + Natural Gas | 7lb | SHIPS PARCEL |




MERCURY IGNITION



3 VOLT IGNITION

A battery-operated ignition system with on and off switch.
3 Volt Ignition supplies up to 120K BTUs.
Remote control available.

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------|
| 3VIK-NG 3VIK-LP | 3 Volt Electronic Ignition System: Spark Igniter + Control Module + D-Cell Battery Pack + 3 Volt Gas Valve + up to 120K BTU + Ignition Switch | 14 lbs | SHIPS PARCEL |




3VIK



24 VOLT SPARK IGNITION

24 Volt Spark Ignition supplies up to 400K BTUs.
Includes step down transformer for use with 24 Volt/110 Volt supply.
Remote control options available.

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|--------------------------|------------------------------------------------------------------------------------------------------|----------------------|--------------|
| 24VIKHC-NG 24VIKHC-LP | 24 Volt Spark Ignition System: Spark Igniter + Control Module + 24 Volt Transformer + up to 400K BTU | 17 lbs | SHIPS PARCEL |



24VIKHC



PLATINUM AUTOMATIC IGNITION

NEW PRODUCT!

The Platinum Automatic Ignition System delivers superior quality, performance, and value to our partners and their customers. Expertly engineered, this innovative ignition has been designed and built to eliminate industry-wide weaknesses in outdoor fire feature ignitions. The Platinum Ignition System includes the Valve Box, Transformer, and Pilot Assembly.

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|--------------|
| 103063 | Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for 1/2" Manifolds . Maximum Gas Output 680,000 BTU/h - Natural Gas | 14 lbs | SHIPS PARCEL |
| 103064 | Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for 1/2" Manifolds . Maximum Gas Output 680,000 BTU/h - Liquid Propane | 14 lbs | SHIPS PARCEL |
| 103065 | Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for 3/4" Manifolds . Maximum Gas Output 680,000 BTU/h - Natural Gas | 14 lbs | SHIPS PARCEL |
| 103066 | Platinum 24 Volt Electronic Ignition System - Valve Box Hot Surface Igniter + 24V Transformer for 3/4" Manifolds . Maximum Gas Output 680,000 BTU/h - Liquid Propane | 14 lbs | SHIPS PARCEL |



ELECTRONIC ACCESSORIES

Want to turn your fire feature on remotely? We've got you covered. We offer electronic accessories that keep your fire feature safe and easy to use.



3 VOLT REMOTE

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|------|-------------------------------------------------------------------------------------|----------------------|--------------|
| 3VRC | ON/OFF Remote Control for 3 Volt Ignition System. Only compatible with 3V Ignition. | 3 lbs | SHIPS PARCEL |



24 VOLT KEY CHAIN REMOTE

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|------|------------------------------------------------------------------------------------------|----------------------|--------------|
| KCRC | ON/OFF Wireless Key Chain Remote Control & Plug In Receiver for 24 Volt Ignition System. | 4 lbs | SHIPS PARCEL |



DIAL TIMERS

Available in 1 hour, 2 hour, and 12 hour options for automatic shut off with NEMA Rated outdoor enclosure.

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|----------|-----------------------------------------------------------------------------------------------|----------------------|--------------|
| DT2HRNB | 2 Hour Dial Timer with NEMA Rated Enclosure. | 5 lbs | SHIPS PARCEL |
| DT12HRNB | 12 Hour Dial Timer with NEMA Rated Enclosure. | 5 lbs | SHIPS PARCEL |
| DTE51HR | 1 Hour Dial Timer with Manual Emergency Shut-off for use on Gas Line. Up to 170K BTU's NG/LP. | 4 lbs | SHIPS PARCEL |




EMERGENCY STOP

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|----------|------------------------------------------------------------------------------------------------------------------|----------------------|--------------|
| EMERSTOP | Push Button Emergency Stop with yellow shell and weatherproof lift cover. Recommended for commercial properties. | 5 lbs | SHIPS PARCEL |
| DTE51HR | 1 Hour Dial Timer with Manual Emergency Shut-off for use on Gas Line. Up to 170K BTU's NG/LP. | 3 lbs | SHIPS PARCEL |

TECH TIP

Typically commercial projects require an Emergency Stop and electronic ignition. Consult your local code.



EXPERTS IN COMMERCIAL APPLICATIONS AND DESIGN.

Big or small, Warming Trends can help create the perfect gathering spot for any commercial space.



PARTS, LOGS, AND MEDIA

Select the right accents to complement your feature's surroundings. Complete the feature with a cover made to fit.

PARTS, LOGS, AND MEDIA

Select the right accents to complement your feature’s surroundings.

CERAMIC LOG SETS



WESTERN OAK LOG SETS

Additional sizes available upon request.

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|-----|----------------------------------------------------------|----------------------|--------------|
| WOS | Western Oak Log Set for 24”–30” Fire Feature (8 Pieces) | 38 lbs | SHIPS PARCEL |
| WOM | Western Oak Log Set for 36”–42” Fire Feature (12 Pieces) | 72 lbs | SHIPS PARCEL |
| WOL | Western Oak Log Set for 48” Fire Feature (15 Pieces) | 105 lbs | SHIPS PARCEL |



MOUNTAIN SPLIT LOG SETS

Additional sizes available upon request.

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|-----|-------------------------------------------------------------|----------------------|--------------|
| MSS | Mountain Split Log Set for 24”–30” Fire Feature (8 Pieces) | 40 lbs | SHIPS PARCEL |
| MSM | Mountain Split Log Set for 36”–42” Fire Feature (12 Pieces) | 72 lbs | SHIPS PARCEL |
| MSL | Mountain Split Log Set for 48” Fire Feature (15 Pieces) | 97 lbs | SHIPS PARCEL |



STEEL LOG SETS

Available for 18", 24", 30", and 36" Fire Features

| SKU | DESCRIPTION | SHIP METHOD |
|---------|-------------------------------------|---------------|
| SLS18 | Handcrafted to fit 18" Fire Feature | SHIPS FREIGHT |
| SLS24 | Handcrafted to fit 24" Fire Feature | SHIPS FREIGHT |
| SLS30 | Handcrafted to fit 30" Fire Feature | SHIPS FREIGHT |
| SLS36 | Handcrafted to fit 36" Fire Feature | SHIPS FREIGHT |
| SLSCUST | Custom Handcrafted Steel Log Set | SHIPS FREIGHT |

TECH TIP

Custom Steel and FireStorm® Log Sets are available. Give us a call at (303) 346-2224.

FIRESTORM® STEEL LOG

Handcrafted, one-of-a-kind steel gas log features an integrated burner to create a beautiful flame pattern.

Handcrafted Steel Log

CFBL150

Aluminum Plate

| SKU | DESCRIPTION | SHIP WEIGHT + METHOD | |
|----------|----------------------------------------------------------------------------------------------------------------|----------------------|--------------|
| FSLS32LP | 32" Steel log with integrated CFBL150 CROSSFIRE® Brass Burner on a 38" x 10" aluminum plate for Liquid Propane | 32 lbs | SHIPS PARCEL |
| FSLS32NG | 32" Steel log with integrated CFBL150 CROSSFIRE® Brass Burner on a 38" x 10" aluminum plate for Natural Gas | 32 lbs | SHIPS PARCEL |

Additional sizes ranging from 20" – 48" available – **CALL FOR QUOTE**

LAVA ROCK



BLR

1" - 1 1/2" Black Lava Rock,
1 bag per 1 cubic foot
45 lb bag



LRR

1" - 2" Gray/Black Rolled Lava,
1 bag per 1 cubic foot
50 lb bag

LAVA ROCK + ROLLED LAVA GUIDE

24" PLATE = 1 BAG
30" PLATE = 2 BAGS
36" PLATE = 3 BAGS
42" PLATE = 4 BAGS
48" PLATE = 4-5 BAGS
60" PLATE = 7-8 BAGS
1 BAG = 1 CUBIC FOOT

FIRE GLASS

3/4"-1/2" Fire Glass. Colors may vary from photo.



AMBER



BLACK



RED




PURPLE



GRAY



DARK BLUE



LIGHT BLUE



GREEN



AQUA



Additional Options
Available Upon Request



CLEAR

Scan the QR Code to easily calculate how
much lava rock or fire glass will be needed
with the Fire Glass Calculator.



WARRANTY

FULL LIFETIME WARRANTY FOR CROSSFIRE® BURNERS

Warming Trends warrants that each Warming Trends® Crossfire® and other jetted-flame-brass burners sold through Warming Trends' distribution network (each as "Burner") is free from defects in materials and workmanship and conforms to its specifications, which are available upon request. We offer a lifetime, full warranty for our Burners, regardless of ownership, beginning on the date of purchase ("Warranty Period"). This warranty is transferable, but we reserve the right to require proof of ownership for any transferred burners including proof that the Burner was not acquired through improper means or unauthorized re-sellers. During the Warranty Period, Warming Trends provides repair and exchange services for the Burners, without charge. If a Burner does not function as warranted during the Warranty Period and, after a reasonable number of attempts, Warming Trends is unable to either 1) make it do so or 2) replace it with one that is at least functionally equivalent, you may return it to Warming Trends and your money will be refunded. The warranty stated above will not apply to the extent that there has been misuse or use contrary to specifications or the appropriate user or operating manual, installation defect, accident, modification, unsuitable physical or operating environment, operation in other than the specified operating environment (e.g., outdoor burners should only be used outdoors) improper maintenance by you, or failure caused by a product for which Warming Trends is not responsible. With respect to Burners, the warranty is voided by removal or alteration of any identification labels or marks on any Burner or part.

ITEMS NOT COVERED BY FULL WARRANTY FOR BURNERS

OTHER THAN AS EXPRESSLY STATED ABOVE, WARMING TRENDS DOES NOT WARRANT UNINTERRUPTED OR ERROR-FREE OPERATION OF ANY BURNER, OR THAT WARMING TRENDS WILL CORRECT ALL DEFECTS.

This warranty is specific to Burners and does not apply to any other product sold by Warming Trends, which may be covered by separate warranties with different terms. Warming Trends does not warrant any services related to our Burners, including installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work.

IGNITION SYSTEMS WARRANTIES

Residential Installations

Platinum Ignition Systems are warranted for three (3) years from date of purchase, when installed on a Warming Trends plate or pan and with listed Crossfire® burners as set forth as Certified with Platinum Ignition Systems in the Platinum Ignition System Instruction Manual or as otherwise approved by Warming Trends, in writing, prior to sale. In the event a Platinum Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends® will repair or replace the system at no cost for the first three (3) years. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. 24VIK and 3VIK systems are warranted for one (1) year from the date of purchase and, thereafter, are covered by a limited warranty for two (2) years from date of purchase. In the event a 24VIK or 3VIK system must be replaced due to a defect or malfunction of the system, Warming Trends® will repair or replace the system at no cost for the first year. In the event a 24VIK or 3VIK system fails after the first year from date of purchase and within two years from date of purchase, Warming Trends will repair or replace the system for a cost of 50% of the current list price. This warranty does not cover labor costs. P24VIK Systems are warranted for three (3) years from date of purchase. In the event a system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first three (3) years. This warranty does not cover labor costs. Mercury Ignition systems are warranted for three (3) years from date of purchase, when installed on a Warming Trends plate or pan and with listed Crossfire® burners as set forth as Certified with Mercury Ignitions in the Mercury Ignition Instruction Manual or as otherwise approved by Warming Trends, in writing, prior to sale. In the event a Mercury Ignition system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first three years. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. Push Button Ignition Systems pre-installed by Warming Trends on AON fire tables (defined below) are warranted for one (1) year from date of purchase. In the event a Push Button Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. Warming Trends does not offer any warranty for Push Button Ignition Systems not pre-installed on AONs.

Commercial Installations

Platinum Ignition Systems are warranted for one (1) year from date of purchase, when installed on a Warming Trends plate or pan and with listed Crossfire® burners as set forth as Certified with Platinum Ignition Systems in the Platinum Ignition System Instruction Manual or as otherwise approved by Warming Trends, in writing, prior to sale. In the event a Platinum Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. 24VIK, 3VIK, and P24VIK systems are warranted for one (1) year from date of purchase. In the event a 24VIK, 3VIK, or P24VIK system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs. Ignition systems are warranted for one (1) year from date of purchase, when installed on a Warming Trends plate or pan and with listed Crossfire® burners as set forth as Certified with Mercury Ignitions in the Mercury Ignition Manual or as otherwise approved by Warming Trends, in writing, prior to sale. In the event a Mercury Ignition system must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. Push Button Ignition Systems pre-installed by Warming Trends on AON fire tables (defined below) are warranted for one (1) year from date of purchase. In the event a Push Button Ignition System must be replaced due to a defect or malfunction of the system, Warming Trends will repair or replace the system at no cost for the first year. This warranty does not cover labor costs and will be automatically voided if the ignition system is installed or used with a non-specified burner, accessories or recommended plate or pan, and cover. Warming Trends does not offer any warranty for Push Button Ignition Systems not pre-installed on AONs.

ITEMS NOT COVERED BY WARRANTIES FOR IGNITION SYSTEMS

Warming Trends does not warrant any services related to our Electronic and Manual Ignition Systems, including, without limitation, installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work. Problems or defects in the functioning of the systems due to gas plumbing or electrical installed by others are not covered by any warranty offered by Warming Trends.

AON FIRE TABLE WARRANTIES

Residential Installations

Warming Trends warrants the fabrication and structure of each AON™ fire table (each, an "AON") for 3 years from the purchase date. This warranty is transferable, but we reserve the right to require proof of ownership for any transferred AONs including proof that the AON was not acquired through improper means or unauthorized re-sellers. Burners and Ignition Systems included in AONs are covered by the applicable warranties above. Warming Trends warrants the powder coating on AONs for 12 months from date of delivery. Warming Trends does not warrant against any damage occurring during or after installation or for normal wear and tear, including fading due to exposure to sunlight. The flush-mounted lids are susceptible to damage due to their intended use. Chips may occur on the corners and edges of the lids over time and are not covered by warranty. Warming Trends recommends covering your AON during inclement weather or seasonal changes.

Commercial Installations

Warming Trends warrants the fabrication and structure of each AON for 1 year from the purchase date. This warranty is transferable, but we reserve the right to require proof of ownership for any transferred AONs including proof that the AON was not acquired through improper means or unauthorized re-sellers. Burners and Ignition Systems included in AONs are covered by the applicable warranties above. Warming Trends warrants the powder coating on AONs for 12 months from date of delivery. Warming Trends does not warrant against any damage occurring during or after installation or for normal wear and tear, including fading due to exposure to sunlight. The flush mounted lids are susceptible to damage due to their intended use. Chips may occur on the corners and edges of the lids over time and are not covered by warranty. Warming Trends recommends covering your AON during inclement weather or seasonal changes.

ITEMS NOT COVERED BY WARRANTIES FOR AON FIRE TABLES

Media made from ceramic or steel must be at least 4" from edges of the AON as excessive heat can cause warping and damage to the structure of the AON. Incorrect use of media shall void the above warranties.

Warming Trends does not warrant against the natural process of steel aging or rusting.

Warming Trends does not warrant any services related to our AONs, including installation, unless we provided those services to you. You may have warranty rights from the service provider, but we make no representations or warranties express or implied regarding any third-party service provider and our warranties do not apply to failures caused by their work. Warming Trends does not warranty against damage caused by improper ventilation. AON's are equipped with leveling feet which are to be used to create ventilation around the entire base perimeter of up to 2" of clear space.

DISCLAIMER OF ADDITIONAL WARRANTIES

OTHER THAN THE SPECIFIC WARRANTIES SET FORTH IN THIS WARRANTY POLICY, WARMING TRENDS MAKES NO REPRESENTATIONS OR WARRANTIES WITH RESPECT TO ITS BURNERS OR IGNITION SYSTEMS, WHETHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

No dealer, distributor, or other person has the authority to represent or warrant a Warming Trends product beyond the terms contained within this warranty, and Warming Trends assumes no liability for such warranty representations. Any questions concerning this warranty should be directed to the Warming Trends corporate office or via email to legal@warming-trends.com.

ADDITIONAL TERMS AND CONDITIONS

ALL BURNERS AND ELECTRONICS MUST BE COVERED WHEN NOT IN USE OR WARRANTY IS NULL AND VOID.

While some of our warranties are passed-through or provided in cooperation with affiliates and/or third parties, Warming Trends will honor the warranties contained in this Warranty Policy for all products purchased from us, but we may coordinate internally with the necessary third parties in order to do so.

WE DIDN'T INVENT FIRE,
WE PERFECTED IT.

Learn More



WARMING  TRENDS®