

WARMING TRENDS®

DESIGNED FOR THE BUILDING PROFESSIONAL

More than ever before, homeowners are investing in their outdoor living space.

Bring spaces to life where friends and family can gather, relax and entertain. As your project partner, Warming Trends delivers the products you need to create outstanding spaces with **AMBIANCE, LIGHT, WARMTH** and **WOW FACTOR**.

Superior Flame - The CROSSFIRE® Burner patented technology produces a taller, brighter, more natural flame that replicates a wood-burning fire while consuming less fuel.

Made in the USA - Our products are proudly manufactured in the United States, supporting local Colorado commerce and other manufacturers across the country. Consumers benefit from more reliable lead times.

100% Brass - All CROSSFIRE® Burners are made from 100% brass. Unlike other burners made from stainless steel, brass is corrosion resistant and will not rust, which eliminates the need for replacement.

Lifetime Warranty - CROSSFIRE® Brass Burners are constructed to last and are backed by a lifetime warranty.

READY-TO-FINISH KIT (RTF)

SIMPLY PLACE ON SITE, CONNECT TO THE GAS SUPPLY, ADD VENEER, AND YOUR FIRE FEATURE IS COMPLETE.

Easy Installation for you

Aluminum frames covered with concrete board, ready to be easily and quickly completed with your choice of stone or veneer.

Simply place on site, connect to the gas supply, add stone or other veneer and your fire feature is complete.

Feature can be placed on both patios and decks - any stable flat surface will work for installation.

Range of design and size choices

Exterior customizable for your client's preferences

Available for natural gas or liquid propane

110K - 350K BTUs subject to size and shape of opening

Reliable Lead Times

Sourced and manufactured in the USA

Ships to you or the job site at your discretion

TECH TIP

Ready-to-Finish Kits come with a Fire Pit Vent Kit (FPVK) but they do not come pre-installed as placement and installation depends on the veneer. Vents are to be installed by contractor on site.

Key Valves (FK1 and FK2) do not come pre-installed either.




Visit www.warming-trends.com for more information or contact **303-346-2224** to speak with one of our Flame Specialists today.

CIRCULAR READY-TO-FINISH KITS

ALL KITS

Includes: Fire Pit Vent Kit • ¾" Flex Line Kit • Key Valve Extension
All Kits Ship Freight




FC42 shown

FC42NG FC42LP	FC54NG FC54LP
42" W x 18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner 24" Aluminum Pan with 2" Sidewalls	54" W x 18" H Aluminum Frame with Concrete Board Attached CFB180 Original Brass Burner 30" Aluminum Pan with 2" Sidewalls
FC60NG FC60LP	FC72NG FC72LP
60" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner 36" Aluminum Pan with 2" Sidewalls	72" W x 18" H Aluminum Frame with Concrete Board Attached CFB350 Original Brass Burner 48" Aluminum Pan with 2" Sidewalls

SQUARE READY-TO-FINISH KITS

ALL KITS

Includes: Fire Pit Vent Kit • ¾" Flex Line Kit • Key Valve Extension
All Kits Ship Freight



FS3636 shown

FS3636NG FS3636LP	FS4848NG FS4848LP
36" x 36" W x 18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner 24" Aluminum Pan with 2" Sidewalls	48" x 48" W x 18" H Aluminum Frame with Concrete Board Attached CFB180 Original Brass Burner 30" Aluminum Pan with 2" Sidewalls
FS5454NG FS5454LP	FS6060NG FS6060LP
54" x 54" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner 36" Aluminum Pan with 2" Sidewalls	60" x 60" W x 18" H Aluminum Frame with Concrete Board Attached CFB300 Original Brass Burner 42" Aluminum Pan with 2" Sidewalls

RECTANGULAR READY-TO-FINISH KITS

ALL KITS

Includes: Fire Pit Vent Kit • ¾" Flex Line Kit • Key Valve Extension
All Kits Ship Freight

FRT6036 shown

FR6036 shown



TREE-STYLE

FRT4830NG FRT4830LP	FRT6036NG FRT6036LP
48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached CFBT170 Tree-Style Brass Burner 28" x 10" Aluminum Pan with 2" Sidewalls	60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached CFBT230 Tree-Style Brass Burner 38" x 14" Aluminum Pan with 2" Sidewalls
FRT7242NG FRT7242LP	
72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached CFBT290 Tree-Style Brass Burner 48" x 18" Aluminum Pan with 2" Sidewalls	

LINEAR-STYLE


FR4830NG FR4830LP	FR6036NG FR6036LP
48" L x 30" W x 18" H Aluminum Frame with Concrete Board Attached CFBL110 22" Linear Brass Burner 28" x 10" Aluminum Pan with 2" Sidewalls	60" L x 36" W x 18" H Aluminum Frame with Concrete Board Attached CFBL150 30" Linear Brass Burner 38" x 14" Aluminum Pan with 2" Sidewalls
FR7242NG FR7242LP	
72" L x 42" W x 18" H Aluminum Frame with Concrete Board Attached CFBL210 42" Linear Brass Burner 48" x 18" Aluminum Pan with 2" Sidewalls	

OCTAGONAL READY-TO-FINISH KITS

ALL KITS

Includes: Fire Pit Vent Kit • ¾" Flex Line Kit • Key Valve Extension
All Kits Ship Freight

FO54 shown



FO42NG FO42LP	FO54NG FO54LP
42" W x 18" H Aluminum Frame with Concrete Board Attached CFB120 Original Brass Burner 24" Aluminum Pan with 2" Sidewalls	54" W x 18" H Aluminum Frame with Concrete Board Attached CFB180 Original Brass Burner 30" Aluminum Pan with 2" Sidewalls
FO60NG FO60LP	
60" W x 18" H Aluminum Frame with Concrete Board Attached CFB290 Original Brass Burner 36" Aluminum Pan with 2" Sidewalls	



BEFORE



AFTER



CUSTOM READY-TO-FINISH KITS

Your design is custom. Your fire feature should be, too.

Every day Warming Trends designs and manufactures truly custom fire feature solutions.

Burner swap options on stock RTF kits are also available.

Let us create a custom feature for you.
We'd love to help.

FIRESTORM® STEEL LOG

Handcrafted, one-of-a-kind steel gas log features an integrated linear burner and is sized perfectly for the FR6036 Rectangular Ready-to-Finish Kit.

Custom designs and sizes available.



ACCESSORIES



PUSH BUTTON IGNITION

Upgrade to an electric Push Button Ignition. Turn the key valve to on position and push the button to ignite your burner.



24 VOLT SPARK IGNITION

24 Volt Spark Ignition supplies up to 400K BTUs. Includes step down transformer for use with 24 Volt/110 Volt supply. Remote control options available.



24 VOLT HOT SURFACE IGNITION

24 Volt Hot Surface Ignition Standard Capacity supplies up to 290K BTUs. 24 Volt Hot Surface Ignition High Capacity supplies up to 512K BTUs. Includes step down transformer for use with 24 Volt/110 Volt supply. Remote control options available.



MEDIA

Complete the look of your fire feature with various media options – glass or lava rock, steel or a ceramic log set.

*Cover is recommended with all electronic ignitions. Warranty will be voided if not added to system.